

Your fast, convenient, “always on” connection to the Internet



The Linksys ADSL Modem gives you a blazing fast connection to the Internet, far faster and more convenient than a standard dial-up. ADSL technology lets you access the Internet using your existing phone lines, without interfering with your voice phone service—you can talk on the phone and surf the net at the same time! The “always on” connection eliminates dial-up wait time and busy signals. Web surfing and your e-mail are instantly available, anytime.

Along with instant connectivity, you'll be surfing the web at speeds you never imagined possible. The ADSL Modem is compatible with the latest ADSL standards, including ADSL2 and ADSL2+. With its incredible speed, ADSL broadband service means no more waiting for slow downloads—even the most graphic-intensive web pages load in seconds. Audio and video streams play smooth and glitch-free.

Installation is quick and simple. Connect it directly to any PC with an Ethernet port, and you're ready to surf the Internet. Or connect it to a Linksys router and share that high-speed Internet access with everyone on your home network.

Harness the full potential of the Internet with the Linksys ADSL Modem.

High-speed ADSL modem gives you a fast, “always on” connection to the Internet

Incredible download speeds, up to 200 times faster than dial-up analog modems

Shares your existing telephone lines to connect to the Internet, without tying up the phone

Connects to your PC over 10/100 Ethernet

ADSL Modem



Product Data

Model **AM200**

ADSL Modem

Features

- Supports Universal Plug and Play (UPnP)
- Enhanced security management functions: NAT/NAPT, Port/Package Filtering, MAC/IP Address Filtering, DMZ Hosting, Virtual Server, ALG, IGMP Proxy
- Easily configurable through your networked PC's Web browser
- Supports 1 10/100 Auto MDI-X LAN switch port, and 1 ADSL port
- Support for RFC1483, PPPoE and PPPoA connections
- SPI firewall with Denial of Service attack prevention
- Supports traffic and event logging
- Supports VPN Passthrough for IPSec, PPTP, and L2TP Protocols
- Supports SNTP (Simple Network Time Protocol) for Synchronizing with Real-Time Server
- Static & Dynamic Routing (RIP1 & 2), SNMP, DDNS

Specifications

Model	AM200
Standards	IEEE 802.3u, G.992.1 (G.dmt), G.992.2 (G.lite), G.922.3, G.992.5, T1.413i2
Ports	Power, Line (ADSL), LAN (1)
Button	Reset
Cabling Type	UDP CAT 5 or better, Phone Cable (RJ-11)
LEDs	Power, Ethernet, DSL, Internet

Environmental

Dimensions (W x H x D)	110 mm x 110 mm x 32 mm (4.33" x 4.33" x 1.26")
Unit Weight	4.76 oz. (0.135 kg)
Power	9VDC, 1A
Certification	CE, UL
Operating Temp.	0°C to 40°C (32°F to 104°F)
Storage Temp.	-20°C to 70°C (-4°F to 158°F)
Operating Humidity	10~85% Non-Condensing
Storage Humidity	5~90% Non-Condensing

Linksys
A Division of Cisco Systems, Inc.
121 Theory
Irvine, CA 92617 USA

E-mail: sales@linksys.com
support@linksys.com

Web: <http://www.linksys.com>

Linksys products are available in more than 50 countries, supported by 12 Linksys Regional Offices throughout the world. For a complete list of local Linksys Sales and Technical Support contacts, visit our Worldwide Web Site at www.linksys.com.

Minimum Requirements

- PC with a Network Adapter and the TCP/IP Protocol installed
- 64 MB of RAM
- CD-ROM Drive
- Internet Explorer 4.0 or Netscape Navigator 4.7 or Higher for Web-based Configuration
- Activated ADSL Line

Package Contents

- ADSL Modem
- 9V 1A Power Supply
- User Guide on CD-ROM
- RJ-11 Telephone Cable
- RJ-45 Ethernet Cable

Check the product package and contents for specific features supported. Specifications are subject to change without notice. Linksys is a registered trademark or trademark of Cisco Systems, Inc. and/or its affiliates in the U.S. and certain other countries. Copyright © 2006 Cisco Systems, Inc. All rights reserved. Other brands and product names are trademarks or registered trademarks of their respective holders.

AM200-DS-60216NC JL

Model **AM200**